## Gootkit malware delivery and C2

github.com/microsoft/Microsoft-365-Defender-Hunting-Queries/blob/master/Delivery/Gootkit-malware.md microsoft

# microsoft/Microsoft-365-Defender-Hunting-...



Sample queries for Advanced hunting in Microsoft 365 Defender





☆ 1k Stars





This query was originally published on Twitter, by <a>@MsftSecIntel</a>.

Gootkit is malware that started life as a banking trojan, and has since extended its capabilities to allow for a variety of malicious activities.

The query helps find events related to Gootkit downloads and command-and-control behavior.

#### Query

```
AlertInfo | where Title =~ "Suspected delivery of Gootkit malware"
// Below section is to surface active follow-on Command and Control as a
result of the above behavior. Comment out the below joins to see
// only file create events where the malware may be present but has not
yet been executed.
////
// Get alert evidence
| join AlertEvidence on $left.AlertId == $right.AlertId
// Look for C2
| join DeviceNetworkEvents on $left.DeviceId == $right.DeviceId
| where InitiatingProcessFileName =~ "wscript.exe" and
InitiatingProcessCommandLine has ".zip" and InitiatingProcessCommandLine
has ".js"
| summarize by RemoteUrl, RemoteIP , DeviceId,
InitiatingProcessCommandLine, Timestamp,
InitiatingProcessFileName, AlertId, Title, AccountName
```

#### Category

This query can be used to detect the following attack techniques and tactics (see MITRE ATT&CK framework) or security configuration states.

Technique, tactic, or state	Covered? (v=yes)	Notes
Initial access		
Execution		
Persistence		
Privilege escalation		
Defense evasion		
Credential Access		
Discovery		
Lateral movement		
Collection		
Command and control	V	
Exfiltration		
Impact		
Vulnerability		
Exploit		

# Technique, tactic, or state Covered? (v=yes) Notes Misconfiguration Malware, component Ransomware

## **Contributor info**

Contributor: Microsoft 365 Defender team